

PLANT TISSUE ANALYSIS

Agent: APAL Agricultural Laboratory

Agent Address: U3, 11 Ridley Street

Hindmarsh SA 5007

Client Name: Horti Produce Co.

Sample Name: Pivot 1 Barcode: 110488565

Batch Number: 12273

Date Received: 24/09/2019

Date Reported: 31/10/2019 Plant/Product: Potato petiole

Plant Part: Petiole 5th leaf from tip

Growth Stage: 30-70mm tuber

Actual Growth Stage:

Sampling Date: 23/09/2019

		Result		Deficiency	Marginal	Normal	Above Normal	Excess	Targo	et
Nitrogen		5.36	%						3.00-5.50	%
Nitrate		23600	mg/kg						15000-2500	0mg/kg
Sulfur	S	0.25	%						0.18-0.34	%
Phosphorus	Р	0.69	%						0.30-0.55	%
Potassium	K	11.3	%						9.00-15.0	%
Magnesium	Mg	0.70	%						0.30-1.1	%
Calcium	Ca	1.64	%						0.500-1.70	%
Sodium	Na	0.066	%						0.10-0.35	%
Chloride		1.9	%						2.0-6.0	%
Iron	Fe	390	mg/kg						50-200	mg/kg
Aluminium	Al	520	mg/kg						#	mg/kg
Manganese	Mn	28	mg/kg						30-150	mg/kg
Boron	В	22	mg/kg						20-40	mg/kg
Copper	Cu	12	mg/kg						4.0-10	mg/kg
Zinc	Zn	58	mg/kg						25-80	mg/kg
Cobalt	Со	0.52	mg/kg						#	mg/kg
Molybdenum	Мо	<0.4	mg/kg						0.10-1.5	mg/kg

^{*} Source references for graphing are available on request NT = Not Tested IS= Insufficient Sample #-Target levels are not available

^{*} All due care has been taken in the analysis and reporting of this sample. However APAL takes no responsibility for the adequacy or accuracy of sample collection and submission or the subsequent use of these results.



^{*} The Normal Range levels may be altered without notification if new information becomes available.





Methods

 $\label{eq:methods of Analysis:} \textbf{Methods of Analysis:} \ \, \text{Samples are reported on an 80°C oven dried basis.}$

NITROGEN: finely ground dry sample analysed by DUMAS method. Apal in-house

TMp-003/TMp-003PP

NITRATE NITROGEN: water extraction analysed by colorimetry. Apal in-house TMp-005/TMp-005PP

MAJOR & TRACE ELEMENTS: microwave digestion and ICP-OES analysis. Apal in-house

TMp-002/TMp-002PP

CHLORIDES: water extraction and potentiometric silver nitrate titrimetry. Apal in-house

TMp-004/TMp-004PP

Please note Tissue samples have been analysed as received, with no washing pror to drying.

When Fe & Al are elevated above typical levels for a plant tissue type this can indicate soil or dust

contamination of the submitted sample.





PLANT TISSUE ANALYSIS

Agent: APAL Agricultural Laboratory

Agent Address: U3, 11 Ridley Street

Hindmarsh SA 5007

Client Name: Horti Produce Co.

Sample Name: Pivot 2 Barcode: 110488566

Batch Number: 12273

Date Received: 24/09/2019

Date Reported: 31/10/2019
Plant/Product: Potato petiole

Plant Part: Petiole 5th leaf from tip

Growth Stage: 30-70mm tuber

Actual Growth Stage:

Sampling Date: 23/09/2019

		Result		Deficiency	Marginal	Normal	Above Normal	Excess	Targe	et
Nitrogen		5.88	%						3.00-5.50	%
Nitrate		29600	mg/kg						15000-2500	0mg/kg
Sulfur	S	0.27	%						0.18-0.34	%
Phosphorus	Р	0.76	%						0.30-0.55	%
Potassium	K	12.0	%						9.00-15.0	%
Magnesium	Mg	0.83	%						0.30-1.1	%
Calcium	Ca	1.53	%						0.500-1.70	%
Sodium	Na	0.099	%						0.10-0.35	%
Chloride		1.9	%						2.0-6.0	%
Iron	Fe	700	mg/kg						50-200	mg/kg
Aluminium	Al	970	mg/kg						#	mg/kg
Manganese	Mn	35	mg/kg						30-150	mg/kg
Boron	В	22	mg/kg						20-40	mg/kg
Copper	Cu	9.8	mg/kg						4.0-10	mg/kg
Zinc	Zn	47	mg/kg						25-80	mg/kg
Cobalt	Со	0.57	mg/kg						#	mg/kg
Molybdenum	Мо	<0.4	mg/kg						0.10-1.5	mg/kg

^{*} Source references for graphing are available on request NT = Not Tested IS= Insufficient Sample #-Target levels are not available

^{*} All due care has been taken in the analysis and reporting of this sample. However APAL takes no responsibility for the adequacy or accuracy of sample collection and submission or the subsequent use of these results.



^{*} The Normal Range levels may be altered without notification if new information becomes available.





Methods

 $\label{eq:methods of Analysis:} \textbf{Methods of Analysis:} \ \, \text{Samples are reported on an 80°C oven dried basis.}$

NITROGEN: finely ground dry sample analysed by DUMAS method. Apal in-house

TMp-003/TMp-003PP

NITRATE NITROGEN: water extraction analysed by colorimetry. Apal in-house TMp-005/TMp-005PP

MAJOR & TRACE ELEMENTS: microwave digestion and ICP-OES analysis. Apal in-house

TMp-002/TMp-002PP

CHLORIDES: water extraction and potentiometric silver nitrate titrimetry. Apal in-house

TMp-004/TMp-004PP

Please note Tissue samples have been analysed as received, with no washing pror to drying.

When Fe & Al are elevated above typical levels for a plant tissue type this can indicate soil or dust

contamination of the submitted sample.





PLANT TISSUE ANALYSIS

Agent: APAL Agricultural Laboratory

Agent Address: U3, 11 Ridley Street

Hindmarsh SA 5007

Client Name: Horti Produce Co.

Sample Name: Pivot 3 Barcode: 110488567

Batch Number: 12273

Date Received: 24/09/2019

Date Reported: 31/10/2019 Plant/Product: Potato petiole

Plant Part: Petiole 5th leaf from tip

Growth Stage: 30-70mm tuber

Actual Growth Stage:

Sampling Date: 23/09/2019

		Result		Deficiency Marginal		Normal Above Normal		Excess	Targe	et
Nitrogen		4.72	%						3.00-5.50	%
Nitrate		24000	mg/kg						15000-2500	0mg/kg
Sulfur	S	0.24	%						0.18-0.34	%
Phosphorus	Р	0.49	%						0.30-0.55	%
Potassium	K	12.5	%						9.00-15.0	%
Magnesium	Mg	0.59	%						0.30-1.1	%
Calcium	Ca	1.99	%						0.500-1.70	%
Sodium	Na	0.064	%						0.10-0.35	%
Chloride		3.7	%						2.0-6.0	%
Iron	Fe	380	mg/kg						50-200	mg/kg
Aluminium	Al	570	mg/kg						#	mg/kg
Manganese	Mn	33	mg/kg						30-150	mg/kg
Boron	В	24	mg/kg						20-40	mg/kg
Copper	Cu	15	mg/kg						4.0-10	mg/kg
Zinc	Zn	38	mg/kg						25-80	mg/kg
Cobalt	Со	0.53	mg/kg						#	mg/kg
Molybdenum	Мо	<0.4	mg/kg						0.10-1.5	mg/kg

^{*} Source references for graphing are available on request NT = Not Tested IS= Insufficient Sample #-Target levels are not available

^{*} All due care has been taken in the analysis and reporting of this sample. However APAL takes no responsibility for the adequacy or accuracy of sample collection and submission or the subsequent use of these results.



^{*} The Normal Range levels may be altered without notification if new information becomes available.





Methods

 $\label{eq:methods of Analysis:} \textbf{Methods of Analysis:} \ \, \text{Samples are reported on an 80°C oven dried basis.}$

NITROGEN: finely ground dry sample analysed by DUMAS method. Apal in-house

TMp-003/TMp-003PP

NITRATE NITROGEN: water extraction analysed by colorimetry. Apal in-house TMp-005/TMp-005PP

MAJOR & TRACE ELEMENTS: microwave digestion and ICP-OES analysis. Apal in-house

TMp-002/TMp-002PP

CHLORIDES: water extraction and potentiometric silver nitrate titrimetry. Apal in-house

TMp-004/TMp-004PP

Please note Tissue samples have been analysed as received, with no washing pror to drying.

When Fe & Al are elevated above typical levels for a plant tissue type this can indicate soil or dust

contamination of the submitted sample.





PLANT TISSUE ANALYSIS

Agent: APAL Agricultural Laboratory

Agent Address: U3, 11 Ridley Street

Hindmarsh SA 5007

Client Name: Horti Produce Co.

Sample Name: Pivot 4 Barcode: 110488568

Batch Number: 12273

Date Received: 24/09/2019

Date Reported: 31/10/2019 Plant/Product: Potato petiole

Plant Part: Petiole 5th leaf from tip

Growth Stage: 30-70mm tuber

Actual Growth Stage:

Sampling Date: 23/09/2019

		Result		Deficiency	Marginal	Normal	Above Normal	Excess	Target	
Nitrogen		5.96	%						3.00-5.50	%
Nitrate		25600	mg/kg						15000-2500	0mg/kg
Sulfur	S	0.25	%						0.18-0.34	%
Phosphorus	Р	0.75	%						0.30-0.55	%
Potassium	K	11.2	%						9.00-15.0	%
Magnesium	Mg	0.65	%						0.30-1.1	%
Calcium	Ca	1.22	%						0.500-1.70	%
Sodium	Na	0.087	%						0.10-0.35	%
Chloride		2.1	%						2.0-6.0	%
Iron	Fe	250	mg/kg						50-200	mg/kg
Aluminium	Al	330	mg/kg						#	mg/kg
Manganese	Mn	61	mg/kg						30-150	mg/kg
Boron	В	22	mg/kg						20-40	mg/kg
Copper	Cu	18	mg/kg						4.0-10	mg/kg
Zinc	Zn	84	mg/kg						25-80	mg/kg
Cobalt	Со	0.54	mg/kg						#	mg/kg
Molybdenum	Мо	<0.4	mg/kg						0.10-1.5	mg/kg

^{*} Source references for graphing are available on request NT = Not Tested IS= Insufficient Sample #-Target levels are not available

^{*} All due care has been taken in the analysis and reporting of this sample. However APAL takes no responsibility for the adequacy or accuracy of sample collection and submission or the subsequent use of these results.



^{*} The Normal Range levels may be altered without notification if new information becomes available.





Methods

 $\label{eq:methods of Analysis:} \textbf{Methods of Analysis:} \ \, \text{Samples are reported on an 80°C oven dried basis.}$

NITROGEN: finely ground dry sample analysed by DUMAS method. Apal in-house

TMp-003/TMp-003PP

NITRATE NITROGEN: water extraction analysed by colorimetry. Apal in-house TMp-005/TMp-005PP

MAJOR & TRACE ELEMENTS: microwave digestion and ICP-OES analysis. Apal in-house

TMp-002/TMp-002PP

CHLORIDES: water extraction and potentiometric silver nitrate titrimetry. Apal in-house

TMp-004/TMp-004PP

Please note Tissue samples have been analysed as received, with no washing pror to drying.

When Fe & Al are elevated above typical levels for a plant tissue type this can indicate soil or dust

contamination of the submitted sample.

